a unique, dimensional and versatile display. Double-sided graphics enable you to feature a different look, brand or messaging so you can **SPIN** from front to back or use as a creative space divider for a larger space. With an easy graphic change, you can also **FLIP** from top to bottom to create a new, different exhibit and look for your next event.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- State-of-the-art 30mm aluminum tube frame with sturdy internal spigot assembly
- Easy to store and ship
- Quick to set up

- Kit includes: one frame, dye-sublimated zipper pillowcase graphics, and two wheeled molded OCE storage cases
- Lifetime hardware warranty against manufacturer defects

dimensions:

Hardware	Graphic
Assembled unit: 252.245" w x 94.805" h x 21.365" d 6407mm(w) x 2408mm(h) x 543mm(d) Approximate weight (includes graphic): 72.68 lbs / 33 kg	Total visual area: Panel A: 43.607" w - 29.01" w x 94.48" h Panel B: 29.01" w - 43.607" w x 94.48" h Panel C: 114.384" w - 86.534" w x 94.48" h Panel D: 29.01" w - 43.607" w x 94.48" h Panel E: 43.607" w - 29.01" w x 94.48" h
Shipping	Please be sure to include a 2" bleed around the perimeter.
Shipping dimensions - ships in two cases: 2 OCE cases: 18"l x 18" w x 40"h up to 66"h 457mm(l) x 457mm(w) x 1016mm(h) up to 1675mm(h) Approximate shipping weight (with cases): 115 lbs / 52 kg	Refer to related graphic template for more information.

additional information:

Graphic material: dye-sublimated zipper pillowcase graphics



GRAPHIC OPTIONS


Double-sided graphics for the **SPIN** option work great for an island display or can be re-purposed at a different tradeshow. The graphics will be printed sewn together as a pillowcase.

Double-sided graphics for the FLIP option work great for utilizing the same booth for multiple tradeshows or events. The graphics will be printed sewn together as a pillowcase. Please note that the "flipped" backside of the graphics will be sewn upside down. Also, one side will have zippers on the bottom but when flipped, they will be located on the top.


Double-sided Option 3 SPINS & FLIPS in orientation and requires purchasing 2 sets of single sided graphics. All graphics are printed on our power stretch.





Step 1: Pick a desired front view for your kit. If only ordering a single sided graphic, you will be done completing this form after this step.




Step 2: If only ordering a double-sided graphic, please select one of the options for the backside listed below.









Center Section Assembly: Step 1: Slide joiner into tubing so hex screw sits in hole on tube. Step 2: Tighten the hex screw so the joiner separates and tightens against the inside of the tubing, locking the joiner and tubing togther. Step 3: Zip fabric graphic closed around frame.



Middle Left & Middle Right Section Assembly: Step 1: Slide joiner into tubing so hex screw sits in hole on tube. Step 2: Tighten the hex screw so the joiner separates and tightens against the inside of the tubing, locking the joiner and tubing togther. Step 3: Zip fabric graphic closed around both frames.




End Left & End Right Section Assembly: Step 1: Slide joiner into tubing so hex screw sits in hole on tube. Step 2: Tighten the hex screw so the joiner separates and tightens against the inside of the tubing, locking the joiner and tubing togther. Step 3: Zip fabric graphic closed around both frames.



Connect the end sections to the middle sections and then the middle sections to the center section. Fabric graphic should already be on each individual panel. Connect the tube rails by pressing the push pin buttons in and slide over (see detailed drawing below) following the number labels listed matching number to number.





Step 1: Install fabric side panels with velcro on top & bottom as shown in diagram below. Step 2: Attach FLIP-PLATE feet for support in locations as shown.

