# P exhibits

## NVP exhibits

DISPLAY SOLUTIONS SHOWCASE

CURRENT KINETIC NVP WALL SYSTEM INVENTORY


WALL SYSTEM ASSEMBLY INSTRUCTIONS



- 1. Remove all the hardware from bags and sort into sections (a)
- 2. 2 CERTY ABY VARY \_ CAR\_UAS RT\AEC dd AS RCd AR\_UAS CRay ZT d AR Z d AEC Z Y C d Z E Top graphic rails face up and bottom graphic rails face down

\$\(\bar{Z}\) \(\overline{\Partial}\) \(\overline{\Part







Attach the fabric graphics. This is done by sliding the upper edge of the fabric into the channel in the graphic rail. Do this for the top graphic rails first R\_U e/V\_ e/V S` eè ^ Ž

Start at the end of the frame and make sure that the edge of the fabric lines up with the edge of the graphic rail







Hint: This is a good time to ensure that the graphics are sitting correctly and aligned at the top and bottom graphics rails, Simply gently slide the fabric whilst it is in the channel of the graphic rail. having doing so will eliminate wrinkles.



& Use the tensioners (two on each cross bar) to tighten the fabric. This is done by firmly depressing the button found on each unit which will cause the tensioner to snap open, extending the overall height of the wall, tightening the fabric in the process.

**HINT:** It's generally considered best-practice to open all the upper tensioners first, followed by all the lower.

Make sure all top tensioners are locked (listen to the click) before proceeding the lower tensioners.







'. A]RTZ\_XAEYVAERS]VAE: aAAABZ^ a]j AR]ZX\_VAEYVAE\_XdRgVUAE^]VdABReAEYVAS^ ee` ^ AEVAEYVAERS]VAE: aAE\_AEYVAEacZXYedZAEYReAEAJE^ f ARcVAE^ \_VZAE







#### NOTES FOR DISMANTLING

- 1. When removing ensure that the graphics do not come into contact with the floor which can result in dirty or stained graphics.
- 2. When folding the fabric, be sure to fold with the printed side facing inwards. This minimises the chance of the graphics becoming dirty either during transportation or when unpacked at your next event.

### ANY QUESTIONS? PLEASE CONTACT:

Gill Keinan gill@nvp.com.au +61 2 9357 3377ÆcÆ!" Æ!" Æ!" Æ!" ÆE!"



